

# SAFETY DATA SHEET

# CLARIANT



**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 1

Substance key: SC0000107388  
Version : 5 - 2 / USA

Revision Date: 08/12/2021  
Date of printing :11/02/2021

## SECTION 1. IDENTIFICATION

<b>Identification of the company:</b>	Clariant Corporation 500 East Morehead Street Charlotte, NC, 28202 Telephone No.: +1 704 331 7000
	<b>Information of the substance/preparation:</b> Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com <b>Emergency tel. number: +1 800-424-9300 CHEMTREC</b>

**Trade name:** BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D  
**Material number:** 254254  
**Chemical family:** Desiccant  
**Primary product use:** Desiccant  
**Restrictions on use :** There are no uses advised against.

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

This product is considered an "Article" by the US Department of Labor, Occupational Safety & Health Administration (OSHA) under OSHA 29 CFR 1910.1200(c) and is exempt from the requirements of a Safety Data Sheet (SDS) found in the Hazard Communication Standard, 29 CFR 1910.1200(b)(v).

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Desiccant

**Components**

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

## SECTION 4. FIRST AID MEASURES

General advice : No known delayed effects. Consult a physician for all

# SAFETY DATA SHEET

# CLARIANT

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 2

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

- exposures except for minor instances.
- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : Normally not needed. If whole canisters or sachets are ingested, call a physician or your local Poison Control Center (1-800-222-1222 in the United States).
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : The product itself does not burn.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray jet  
Dry powder  
Foam  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : No restrictions
- Specific hazards during firefighting : The product is not flammable.  
Does not sustain combustion.  
No hazardous decomposition products are known.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Special sliding risk through leaking of spilled product in connection with water.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and : Ensure adequate ventilation.  
Avoid dust formation.

# SAFETY DATA SHEET

# CLARIANT

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 3

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

- emergency procedures**                      Evacuate personnel to safe areas.  
Avoid contact with skin, eyes and clothing.  
Wear personal protective equipment.  
Avoid breathing dust.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Special sliding risk through leaking of spilled product in connection with water.  
Wearing appropriate personal protective equipment, contain spill and collect into a suitable container.  
No special precautions required.  
Refer to Section 8 for more information.
- Environmental precautions**        :    No special environmental precautions required.
- Methods and materials for containment and cleaning up**    :    Pick up and transfer to properly labelled containers.  
If product is released from trucks in roads, place signposts and remove the spill using vacuum cleaning systems.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling**                :    Avoid dust formation.  
Provide sufficient air exchange and/or exhaust in work rooms.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
For personal protection see section 8.  
Handle and open container with care.  
If you require advice on safe handling techniques or specific uses, please contact your supplier or check the further information referred to in section 16.
- Conditions for safe storage**            :    Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.
- Further information on storage conditions**                :    Store in a dry place.
- Materials to avoid**                        :    No conditions to be specially mentioned.
- Further information on storage stability**                    :    Stable under recommended storage conditions.

# SAFETY DATA SHEET



**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 4

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing : 11/02/2021

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

### Personal protective equipment

**Respiratory protection** : Wear NIOSH approved particulate filtering respirator rated N, R, or P95 or 100 or equivalent in the absence of proper environmental control. Type of respirator depends on level of exposure.

**Hand protection**  
**Remarks** : Butyl Rubber, PVC Or Neoprene.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

**Hygiene measures** : Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : lumpy, granular, powder

**Colour** : bright to earthy

**Odour** : odourless

**Odour Threshold** : not determined

**pH** : 6 - 11 (68 °F / 20 °C)  
Method: aqueous suspension  
For detail information please refer to our physical & chemical data sheet.

**Melting point/range** : > 842 °F / 450 °C  
Method: EU A.1

**Boiling point/boiling range** : not applicable (solid with a melting point > 450 °C)

**Flash point** : Not applicable

**Evaporation rate** : not applicable (solid with a melting point > 450 °C)

# SAFETY DATA SHEET

# CLARIANT

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 5

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

Flammability (solid, gas)	: does not ignite Method: EU A.10
Self-ignition	: Method: 92/69/EEC, A.6. no relative self-ignition temperature below 400 °C
Upper explosion limit / upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: non explosive (void of any chemical structures commonly associated with explosive properties)
Vapour pressure	: not applicable (solid with a melting point > 450 °C)
Relative vapour density	: Not applicable
Density	: 2.6 g/cm <sup>3</sup>
Bulk density	: 500 - 1,100 kg/m <sup>3</sup> For detail information please refer to our physical & chemical data sheet.
Solubility(ies) Water solubility	: < 0.9 mg/l (68 °F / 20 °C) Method: Tested according to Directive 92/69/EEC.
Partition coefficient: n-octanol/water	: Not applicable inorganic
Auto-ignition temperature	: not determined
Decomposition temperature	: No decomposition if used as directed.
Viscosity Viscosity, dynamic	: not applicable (solid with a melting point > 450 °C)
Viscosity, kinematic	: Not applicable
Oxidizing properties	: no oxidizing properties (Based on the chemical structure, the substance does not contain a surplus of oxygen or any structural groups known to be correlated with a tendency to react exothermally with combustible material)
Metal corrosion rate	: Not applicable
Particle size	: no data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: The product is chemically stable.

# SAFETY DATA SHEET

**CLARIANT** 

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 6

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

Possibility of hazardous reactions : None known.

Conditions to avoid : Forms slippery/greasy layers with water.

Incompatible materials : inert, not reactive  
Avoid storing together with materials that may be affected by dust.

Hazardous decomposition products : Not relevant

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
Remarks: By analogy with a product of similar composition

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

### Skin corrosion/irritation

#### Product:

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

### Serious eye damage/eye irritation

#### Product:

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Product:

Remarks: no data available

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Test Type: In vitro gene mutation study in bacteria  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 7

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro gene mutation study in mammalian cells  
Method: OECD Test Guideline 476  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

## Carcinogenicity

### Product:

Carcinogenicity - Assessment : No information available.

## IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

### Product:

Reproductive toxicity - Assessment : No information available.

## STOT - single exposure

### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

## STOT - repeated exposure

### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Aspiration toxicity

### Product:

No aspiration toxicity classification

# SAFETY DATA SHEET

# CLARIANT

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 8

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

## Experience with human exposure

### Product:

General Information : The possible symptoms known are those derived from the labelling (see section 2).

## Further information

### Product:

Remarks: There is no data available for this product.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 16 g/l  
Exposure time: 96 h

LC50 (Marine water fish): 2.8 - 3.2 g/l  
Exposure time: 24 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

EC50 (Metacarcinus magister): 81.6 mg/l  
Exposure time: 96 h

EC50 (Pandalus danae): 24.8 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: no data available

Plant toxicity : 84.4 mg/kg  
Species: Phaseolus vulgaris  
Remarks: No effect on the growth was observed.

84.4 mg/kg  
Species: Zea mays  
Remarks: No effect on the growth was observed.

## Persistence and degradability

### Product:



# SAFETY DATA SHEET



**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 9

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

**Biodegradability** : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### **Product:**

**Bioaccumulation** : Remarks: Not relevant for inorganic substances

### **Mobility in soil**

no data available

### **Other adverse effects**

#### **Product:**

**Additional ecological information** : According to experience and to the information currently available, the product has no harmful effects on the environment if used correctly as intended.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

**RCRA - Resource Conservation and Recovery Authorization Act** : This product, if discarded as sold, is not a Federal RCRA hazardous waste.

**Waste Code** : NONE

**Waste from residues** : This product, if discarded as sold, is not a Federal RCRA hazardous waste. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.

**Contaminated packaging** : No specific requirements.

---

## **SECTION 14. TRANSPORT INFORMATION**

**DOT** not restricted

**IATA** not restricted

**IMDG** not restricted

---

## **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# SAFETY DATA SHEET



**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 10

**Substance key: SC0000107388**

**Revision Date: 08/12/2021**

**Version : 5 - 2 / USA**

**Date of printing :11/02/2021**

## **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

## **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **The components of this product are reported in the following inventories:**

**TSCA** : All substances listed as active on the TSCA inventory

---

## **SECTION 16. OTHER INFORMATION**

**Further information**

# SAFETY DATA SHEET

# CLARIANT

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 11


Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing : 11/02/2021

## NFPA 704:



## Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United

# SAFETY DATA SHEET

**CLARIANT** 

**BAG DESI PAK® 4U T2 CP-523D 5X5.5 500/D**

Page 12

Substance key: SC0000107388

Revision Date: 08/12/2021

Version : 5 - 2 / USA

Date of printing :11/02/2021

Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods;  
vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/12/2021

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. **NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.** Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN